

| Ref # | Hits  | Search Query   | DBs  | Default Operator | Plurals | Time Stamp       |
|-------|-------|--|--|------------------|---------|------------------|
| S1    | 1686  | 709/220.ccls.  | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO;<br>DERWENT;<br>IBM_TDB | OR               | ON      | 2005/05/23 16:13 |
| S2    | 287   | S1 and configur\$3 near2 (server\$1 or (server adj farm) or (cluster\$1 adj2 server))                          | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO;<br>DERWENT;<br>IBM_TDB | OR               | ON      | 2005/05/23 18:08 |
| S3    | 1     | S2 and build\$3 adj2 image   | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO;<br>DERWENT;<br>IBM_TDB | OR               | ON      | 2005/05/23 16:16 |
| S4    | 12555 | configur\$3 near2 (server\$1 or (server adj farm) or (cluster\$1 adj2 server))                                 | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO;<br>DERWENT;<br>IBM_TDB | OR               | ON      | 2005/05/23 16:16 |
| S5    | 28    | S4 and build\$3 adj2 image   | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO;<br>DERWENT;<br>IBM_TDB | OR               | ON      | 2005/05/23 16:17 |
| S6    | 2310  | (creat\$3 or build\$3 or generat\$3) near3 ((digital adj image\$1) or image\$1) and configur\$3 with server\$1 | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO;<br>DERWENT;<br>IBM_TDB | OR               | ON      | 2005/05/23 18:15 |
| S7    | 1     | S6 and receiv\$3 near2 (network adj2 design)   | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO;<br>DERWENT;<br>IBM_TDB | OR               | ON      | 2005/05/23 18:15 |
| S8    | 2644  | S6 and (server adj2 farm) or server near2 cluster  | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO;<br>DERWENT;<br>IBM_TDB | OR               | ON      | 2005/05/23 18:16 |

|     |    |   |   |    |     |                  |
|-----|----|---|---|----|-----|------------------|
| S9  | 81 | S8 and (deploy\$3 or send\$3 or transfer\$3) with image\$1 with server\$1   | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | ON  | 2005/05/23 18:49 |
| S10 | 0  | receiv\$3 near3 (network adj2 design) and configure with (server adj2 farm) | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | ON  | 2005/05/23 18:50 |
| S11 | 1  | receiv\$3 near3 (network adj2 design) and configure with server\$1          | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | ON  | 2005/05/23 18:50 |
| S12 | 1  | receiv\$3 near3 (network adj2 design) and server adj2 farm                  | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | ON  | 2005/05/23 18:51 |
| S13 | 56 | receiv\$3 near3 (network adj2 design)                                       | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | ON  | 2005/05/23 18:57 |
| S14 | 12 | S13 and (generat\$3 or creat\$3 or build\$3) with (network adj2 design)     | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | ON  | 2005/05/23 18:52 |
| S15 | 2  | ("6108697").PN.   | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | OFF | 2005/05/27 14:15 |
| S16 | 2  | ("6253300").PN.   | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | OFF | 2005/05/27 14:16 |

|     |    |  |  |    |     |                  |
|-----|----|--|--|----|-----|------------------|
| S17 | 2  | ("5842011").PN.  | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2005/05/27 14:16 |
| S18 | 56 | receiv\$3 near3 (network adj2 design)  | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO;<br>DERWENT;<br>IBM_TDB | OR | ON  | 2005/05/31 19:01 |
| S19 | 1  | S18 and configur\$3 adj2 server\$1   | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO;<br>DERWENT;<br>IBM_TDB | OR | ON  | 2005/05/31 13:05 |
| S20 | 1  | S18 and server adj farm  | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO;<br>DERWENT;<br>IBM_TDB | OR | ON  | 2005/05/31 13:06 |
| S21 | 0  | ((transfer\$3 or deploy\$3) near3 image) with (netboot adj2 request)                     | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO;<br>DERWENT;<br>IBM_TDB | OR | ON  | 2005/05/31 19:02 |
| S22 | 0  | ((transfer\$3 or deploy\$3) near3 file) with (netboot adj2 request)                      | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO;<br>DERWENT;<br>IBM_TDB | OR | ON  | 2005/05/31 19:02 |
| S23 | 0  | ((transfer\$3 or deploy\$3) near3 configuration) with (netboot adj2 request)             | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO;<br>DERWENT;<br>IBM_TDB | OR | ON  | 2005/05/31 19:02 |
| S24 | 0  | ((transfer\$3 or deploy\$3) near3 configuration) with ((netboot or bootup )adj2 request) | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO;<br>DERWENT;<br>IBM_TDB | OR | ON  | 2005/05/31 19:03 |

|     |     |   |  |    |    |                  |
|-----|-----|---|--|----|----|------------------|
| S25 | 1   | (netboot adj2 request)                                    | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/05/31 19:03 |
| S26 | 226 | ((netboot or boot or bootup)adj2 request)                 | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/05/31 19:03 |
| S27 | 39  | S26 and transfer\$3 adj2 (file or image or confoguration) | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/05/31 19:04 |
| S28 | 737 | rule\$1 with firewall                                     | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/06/01 13:13 |
| S29 | 1   | S28 and installation adj2 rule                            | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/06/01 13:14 |